

01090, 275

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|------|------|---|--|---------------------|
| 1 | BRS | 3051 | sql same relational adj database rdbms same join\$3 near5 sequen\$5 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/06/28 09:15 |
| 2 | BRS | 9 | sql same (relational adj database rdbms) same join\$3 near5 sequen\$5 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/06/28 09:21 |
| 3 | BRS | 30 | (sql query) same (relational adj database rdbms) same join\$3 near5 (sequen\$5 series chain) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/06/28 09:22 |
| 4 | BRS | 21 | ((sql query) same (relational adj database rdbms) same join\$3 near5 (sequen\$5 series chain)) not (sql same (relational adj database rdbms) same join\$3 near5 sequen\$5) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/06/28 09:22 |
| 5 | BRS | 3 | query near2 optimiz\$8 same join near2 (sequence series chain) same relational adj database | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 10:32 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|------|---|--|---------------------|
| 6 | BRS | 8 | query same join near2 (sequence series chain) same relational adj database | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 10:36 |
| 7 | BRS | 1 | (dynamic adj programming adj algorithms dp) same join near5 sequence\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 10:41 |
| 8 | BRS | 7 | (dynamic adj programming dp) same join near5 sequence\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 10:42 |
| 9 | BRS | 73 | (quer\$3 access adj path pass) same join near5 sequence\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 16:04 |
| 10 | BRS | 10 | (quer\$3 access adj path pass) same join near5 sequence\$1 same relational adj database | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 11:32 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|-----------|--|--|---------------------|
| 11 | BRS | 10 | ("6138111" "6338056" "5608904" "6370522" "6377943").pn. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 13:56 |
| 12 | BRS | 1 | (optimal optimum) near3 join\$1 with sequence same relational adj database | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 13:58 |
| 13 | BRS | 13 | (optimal optimum) near3 join\$1 same relational adj database | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/07/09 14:59 |
| 14 | BRS | 32 | (quer\$3 access adj path pass) same join near5 sequence\$1 and 707/1-2.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 18:19 |
| 15 | BRS | 2192 5 | quer\$3 same join with (sequence\$1 order series) same relational adj database 707/\$.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 18:20 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|-------|--|--|---------------------|
| 16 | BRS | 5 | quer\$3 same join with (sequence\$1 order series) same relational adj database same (optimum optimal) near3 join\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 16:32 |
| 17 | BRS | 21913 | access adj path\$1 same join with (sequence\$1 order series) same relational adj database 707/\$.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 18:20 |
| 18 | BRS | 6 | access adj path\$1 same join with (sequence\$1 order series) same relational adj database and (optimal optimum) near3 join\$1 and 707/\$.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/19 18:22 |
| 19 | BRS | 8 | access adj (path\$1 plan\$1) same join with (sequence\$1 order series) same relational adj database and (optimal optimum) near3 join\$1 and 707/\$.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/20 08:46 |
| 20 | BRS | 15 | access adj (path\$1 plan\$1) same (optimal optimum) near3 join\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/20 08:57 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|------|---|--|---------------------|
| 21 | BRS | 39 | (access adj (path\$1 plan\$1) or (mini adj plan\$1 or miniplan\$1)) and (optimal optimum) near3 join\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/20 08:59 |
| 22 | BRS | 24 | ((access adj (path\$1 plan\$1) or (mini adj plan\$1 or miniplan\$1)) and (optimal optimum) near3 join\$1) not (access adj (path\$1 plan\$1) same (optimal optimum) near3 join\$1) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/08/20 08:59 |